

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


[Advanced Search](#)
[Web](#) [Show options...](#)
Results 1 - 30 of about 13,100 for **primitive**

The Microsoft **Intermediate Language** (MSIL) or CIL and C++ native ...
Size (Bits). TypeCode. C++ Equivalent Types. Boolean ... std::wstring<>. **Primitive** .NET
 value types and their equivalent C++ types ...
www.visualcpusdotnet.com/visualcpusdotnet2a.html - [Cached](#)

WIL: A Compiler **Intermediate Language** with Explicit Support for ...
 Arrays support creation, element extraction and update, as well as **size** For example a
 high-level language can introduce **primitive** object types that ...
people.ischool.berkeley.edu/~parikh/projects/WIL/ - [Cached](#) - [Similar](#)

.NET: Type Fundamentals
 I'll start off by introducing **primitive** types and then quickly move on to ... And, of course, the
intermediate language (IL) that is generated when using The amount of memory
 allocated is the **size** required by the value type plus ...
msdn.microsoft.com/en-us/magazine/cc301569.aspx - [Cached](#) - [Similar](#)

Program Representation Size in an Intermediate Language with ...
 by A Dimock - [Cited by 5](#) - [Related articles](#)
Program Representation Size in an Intermediate Language calculus [WDMTOX] with
primitive datatypes, references, arrays, and excepti- ...
www.springerlink.com/index/k1cw2ek8axc9bd57.pdf

Software portability via an intermediate language
 by W Waite - [Cited by 2](#) - [Related articles](#)
primitive operands available in that language; a further encoding is **size**. In this case,
 even though the displacement is available at com- ...
www.springerlink.com/index/f0012166327118i6.pdf

[Show more results from www.springerlink.com](#)

[PPT] **Introduction to FOAM (the intermediate language for Aldor)**
 File Format: Microsoft Powerpoint - [View as HTML](#)
Primitive Types. Boolean: Bool; Numeric. Floating Point: SFlo, DFlo ... [Prog <n: Int> <m:
 Int> <t: Type> <f: Int> <b: Int> <size: Int> <time: Int> <par: ...
www.oroca.on.ca/~ldragan/aldor/fp/foam_pres.ppt

[PDF] **An Overview of the PL 8 Compiler Abstract Introduction The ...**
 File Format: PDF/Adobe Acrobat - [Quick View](#)
 by M Auslander - 1982 - [Cited by 124](#) - [Related articles](#)
 low level **intermediate language**. Global optimization and register allocation are then used
 to improve code ... required caused the compiler to grow until its **size**, ... processed as a
 linear string of such **primitive** operations. ...
livm.cs.uiuc.edu/~vadve/CS526/public.../pl8.auslander.cc82.pdf - [Similar](#)

[PDF] **View or Download - VCODE: A Data-Parallel Intermediate Language**
 File Format: PDF/Adobe Acrobat - [Quick View](#)
 by GE Blelloch - [Cited by 69](#) - [Related articles](#)
 The basic model includes decisions concerning the **primitive** data types, the ... **size**, every
 parallel variable belongs to a shape, and most of the operations ...
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.9.883&rep...

[PDF] **Java as an Intermediate Language**
 File Format: PDF/Adobe Acrobat - [Quick View](#)
 by JC Hardwick - 1996 - [Cited by 40](#) - [Related articles](#)
Problem size. JDK. Native. Vinterp. SPARC. Figure 8: Performance of Nesl selection

benchmark using different **intermediate language** imple- ...
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.10.6386&rep...

Show more results from citeseerx.ist.psu.edu

Verifier to check **intermediate language** - Patent 6560774

by A Gordon - 2003 - Cited by 10 - Related articles

Verification of **intermediate language** code. ... a semantic check comprises checking native-size **primitive** types of the intermediate code language. ...

www.freepatentsonline.com/6560774.html - Cached

C Sharp (programming language) - Wikipedia, the free encyclopedia

... to compete directly on performance and **size** with C or assembly language. ... For performance reasons, **primitive** types (and value types in general) are Type System ·

Common **Intermediate Language** · Virtual Execution System ...

en.wikipedia.org/wiki/C_Sharp_(programming_language) - Cached · Similar

(PDF) Program Representation Size in an **Intermediate Language** with ...

File Format: PDF/Adobe Acrobat - Quick View

Program Representation **Size** in an **Intermediate Language** The set Primop of **primitive** operators includes standard operators ...

www.cs.bu.edu/techreports/pdf/2001-002-program-representation-size.pdf

C# Language features - Ideas and Coffee at 3.47 AM

Dec 28, 2004 ... You have to know the **size** and type of the array during compile time. ...

The **intermediate language** provides a set of **primitive** data types. ...

weblogs.asp.net/nilotpal/archive/2004/12/28/334235.aspx - Cached · Similar

jhc

First **Intermediate language** based on Henk, Pure Type Systems and the Lambda cube. ...

It has multiple return values as a **primitive** (unboxed tuples) the small binary **size** of produced files I decided to make a push for jhc to become ...

repetae.net/computer/jhc/jhc.shtml - Cached · Similar

(PS) Program Representation Size in an **Intermediate Language** with ...

File Format: Adobe PostScript - View as HTML

by A Dimock - Cited by 5 - Related articles

calculus [WDMTOX] with **primitive** datatypes, references, arrays, and excep- Program representation **size** in an **intermediate language** ...

cs.wellesley.edu/~fturbak/pubs/tic00.ps

The **Intermediate Language** :: Chapter 24: The Microsoft .NET ...

NET Architecture from the Delphi Perspective > The **Intermediate Language** The CTS fully specifies the **primitive** types and object types known to the CLR. These types are used to define an Position, **Size**, Scrolling, and Scaling ...

etutorials.org/.../The+Intermediate+Language/ - Cached

A SINGLE **INTERMEDIATE LANGUAGE** FOR PROGRAMMING ENVIRONMENTS

by MA CAPLINGER - 1985 - Cited by 3 - Related articles

A SINGLE **INTERMEDIATE LANGUAGE** FOR PROGRAMMING ENVIRONMENTS ... in terms of a composition of **primitive** operators provided by the system and the semantic ...

Files, **Size**, Format, View, 8517183.PDF, 6.034Mb, application/pdf, View/Open ...

scholarship.rice.edu/handle/1911/15884 - Cached

Objectified **Intermediate Language**: C# - Fast Array Initialization

May 11, 2008 ... If you use a **primitive** type, such as Int32, Int64, Byte, SByte, ... the CLR to manage the data of the struct at that **size**, specifically. ...

blog.oil.sif.abstraction-project.com/.../c-fast-array-initialization.html - Cached · Similar

A **primitive**-based strategy for producing efficient code for very ...

by WM Ching - 1993 - Related articles

This strategy depends on the efficient implementation of the **primitive** ... Both C compilers translate C code to a very low level **intermediate language**, ... From the **size** of the back end files it is obvious that the C version is by far ...

linkinghub.elsevier.com/retrieve/pii/0096055193900383

[\[PDF\] Compute Abstraction Layer \(CAL\) Technology Intermediate Language ...](#)

File Format: PDF/Adobe Acrobat

The values of this register are undefined if the **primitive** rendered is not a, Declare the space or size of LDS memory (in dwords) to be used in a ...
[developer.amd.com/.../Intermediate_Language_Specification-Stream_Processor.pdf](#) - Similar

[InformIT: .NET Reference Guide > More on Computing Structure Sizes](#)Jan 9, 2009 ... Recently, though, I stumbled upon the **intermediate language (IL)** SizeOfinstruction: Pushes the **size**, in bytes, of a supplied value type ...[www.informit.com](#)) ...) .NET and Windows Programming - Cached[\[PDF\] Realistic Compilation by Program Transformation](#)

File Format: PDF/Adobe Acrobat - Quick View

by R Kelsey - Cited by 88 - Related articles

ing the source program into the **intermediate language**, and then performing source-to-source transformations formations work to reduce the **size** of the code, its each specified by the **primitive** operations, in that every prim-

[www.cs.purdue.edu/homes/suresh/502.../kelsey-compilation.pdf](#) - Similar[\[PDF\] Case Study: JVM Virtual Machines Virtual Machine, Intermediate ...](#)

File Format: PDF/Adobe Acrobat - Quick View

Virtual Machine, **Intermediate Language**. • Pascal P-Code (1975). – stack-basedprocessor all types are **primitives** or references to immutable objects ...[www.cs.inf.ethz.ch/ssw/slides/SSW04_9_JVM_6x.pdf](#) - Similar[Transforming the .NET Intermediate Language Using Path Logic ...](#)

by S Drape - 2002 - Cited by 23 - Related articles

The definition of propagate is in terms of the new **primitive** all: propagate(N, X, V) :-and B2 to have the same **size** (possibly differing by one ele- ...[portal.acm.org/ft_gateway.cfm?id=571171&type=pdf](#)[Verifying intermediate language code - US 6851108](#)A verification module evaluates **intermediate language** code to verify that the ... A method

of deferring selection of a **size** of a data type in **intermediate**, **primitive** data type of each argument, and the native calling convention ...

[www.patents.com/verifying-intermediate-language-code-6851108.html](#) - Cached[Delphi Basics for .Net : Delphi and .Net](#)... create applications - they are combined into **Intermediate Language (IL)** code, ... Integer

in Delphi was a **primitive**, but is now treated as a structure. ... Net since they are variable in **size**. The Delphi String **primitive** data type ...

[www.delphibasics.co.uk/NetArticle.asp?Name=NETForDelphi](#) - Cached - Similar[Commentary/Compiler/CmmType – GHC](#)

This contributes significantly to the large binary **size** for GHC-compiled code. Both Cmm Operators and **Primitive** Operations are handled in Haskell as Inline ... following the paper:

A Single **Intermediate Language** That Supports ...[hackage.haskell.org/trac/ghc/wiki/Commentary/.../CmmType](#) - Cached - Similar[An Intermediate Language for System Engineering](#)

by B Purves

should increase the overall **size** of the market. We might expect more specialized tools which operate ... high proportion of the **primitive** system engineering ...

[doi.ieeeecomputersociety.org/10.1109/ECBS.1997.581846](#)[FFIGEN User's Manual](#)The attributes on **primitive** types are const or volatile; the attributes static and ... The

<value> field in the array is its **size**. If the **size** is not known, it is 0. How well can the **intermediate language** support other front-ends? ...

[www.crs.neu.edu/home/lth/ffigen/userman.html](#) - Cached[David A. Wheeler's 6502 Language Implementation Approaches](#)For self-hosting, a small **size** has value (so that there's room for other stuff!). to shield

the user from the **primitive** structure of the 6502 and its shortcomings. Its **intermediate language** "EM" is a stack-based language; ...
www.dwheeler.com/6502/ - [Cached](#) - [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Go](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Go](#)